

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	666	(feature\$1 specification\$1 charaster\$1 attribut\$1 element\$1) and (description\$1 report\$1 explanation\$1) with (product\$1 manufactur\$4 good\$2) with (document\$1 text \$1 file\$1 article \$1 papaer\$1 manuscript\$1 certificat\$2) with (templat\$2 pattern\$1 model \$1 shap\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:20
L2	27083	(feature\$1 specification\$1 charaster\$1 attribut\$1 element\$1) and (description\$1 report\$1 explanation\$1) and (product\$1 manufactur\$4 good\$2) with (document\$1 text \$1 file\$1 article \$1 papaer\$1 manuscript\$1 certificat\$2) with (templat\$2 pattern\$1 model \$1 shap\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:31

L3	47682	(feature\$1 specification\$1 charaster\$1 attribut\$1 element\$1) and (description\$1 report\$1 explanation\$1) and (product\$1 manufactur\$4 good\$2) same (document\$1 text \$1 file\$1 article \$1 papaer\$1 manuscript\$1 certificat\$2) with (templat\$2 pattern\$1 model \$1 shap\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:31
L4	138077	(feature\$1 specification\$1 charaster\$1 attribut\$1 element\$1) and (description\$1 report\$1 explanation\$1) and (product\$1 manufactur\$4 good\$2) same (document\$1 text \$1 file\$1 article \$1 papaer\$1 manuscript\$1 certificat\$2) same (templat\$2 pattern\$1 model \$1 shap\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:32
L5	53284	(feature\$1 specification\$1 charaster\$1 attribut\$1 element\$1) and (description\$1 report\$1 explanation\$1) and (product\$1 manufactur\$4 good\$2) with (document\$1 text \$1 file\$1 article \$1 papaer\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:32

		manuscript\$1 certificat\$2) same (templat\$2 pattern\$1 model \$1 shap\$2)				
L6	27083	(feature\$1 specification\$1 charaster\$1 attribut\$1 element\$1) and (description\$1 report\$1 explanation\$1) and (product\$1 manufactur\$4 good\$2) with (document\$1 text \$1 file\$1 article \$1 papaer\$1 manuscript\$1 certificat\$2) with (templat\$2 pattern\$1 model \$1 shap\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:32
L7	666	(feature\$1 specification\$1 charaster\$1 attribut\$1 element\$1) and (description\$1 report\$1 explanation\$1) with (product\$1 manufactur\$4 good\$2) with (document\$1 text \$1 file\$1 article \$1 papaer\$1 manuscript\$1 certificat\$2) with (templat\$2 pattern\$1 model \$1 shap\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:32

L8	126	(feature\$1 specification\$1 character\$1 attribut\$1 element\$1) with (description\$1 report\$1 explanation\$1) with (product\$1 manufactur\$4 good\$2) with (document\$1 text \$1 file\$1 article \$1 papaer\$1 manuscript\$1 certificat\$2) with (templat\$2 pattern\$1 model \$1 shap\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:33
L9	3	1 and (user\$1 client\$1 customer \$1 consumer\$1) with (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4) with (map\$4 link\$4 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:33
L10	24	1 and (user\$1 client\$1 customer \$1 consumer\$1) and (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4) with (map\$4 link\$4 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:33

L11	61	1 and (user\$1 client\$1 customer \$1 consumer\$1) and (data\$1 information\$1 record\$1) and (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4) with (map\$4 link\$4 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:34
L12	132	1 and (user\$1 client\$1 customer \$1 consumer\$1) and (data\$1 information\$1 record\$1) and (first\$1 primary \$1 initial\$1 earlier \$1) and (second \$1 secondar\$2 end\$1 next\$1 succeed\$4) with (map\$4 link\$4 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:34
L13	376	1 and (user\$1 client\$1 customer \$1 consumer\$1) and (data\$1 information\$1 record\$1) and (first\$1 primary \$1 initial\$1 earlier \$1) and (second \$1 secondar\$2 end\$1 next\$1 succeed\$4) and (map\$4 link\$4 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:34

L14	47	1 and (user\$1 client\$1 customer \$1 consumer\$1) with (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:35
L15	765	2 and (user\$1 client\$1 customer \$1 consumer\$1) with (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:35
L16	2884	2 and (user\$1 client\$1 customer \$1 consumer\$1) and (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:35
L17	7057	2 and (user\$1 client\$1 customer \$1 consumer\$1) and (data\$1 information\$1 record\$1) and (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:35

L18	8851	2 and (user\$1 client\$1 customer \$1 consumer\$1) and (data\$1 information\$1 record\$1) and (first\$1 primary \$1 initial\$1 earlier \$1) and (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:35
L19	6894	2 and (user\$1 client\$1 customer \$1 consumer\$1) same (data\$1 information\$1 record\$1) and (first\$1 primary \$1 initial\$1 earlier \$1) and (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:36
L20	3516	2 and (user\$1 client\$1 customer \$1 consumer\$1) same (data\$1 information\$1 record\$1) same (first\$1 primary \$1 initial\$1 earlier \$1) and (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:36
L21	2313	2 and (user\$1 client\$1 customer \$1 consumer\$1) same (data\$1 information\$1 record\$1) same (first\$1 primary \$1 initial\$1 earlier \$1) same (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:36

L22	1800	2 and (user\$1 client\$1 customer \$1 consumer\$1) with (data\$1 information\$1 record\$1) same (first\$1 primary \$1 initial\$1 earlier \$1) same (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:37
L23	1058	2 and (user\$1 client\$1 customer \$1 consumer\$1) with (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) same (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:37
L24	765	2 and (user\$1 client\$1 customer \$1 consumer\$1) with (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:37
L25	1028	2 and (user\$1 client\$1 customer \$1 consumer\$1) same (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:37

L26	1574	2 and (user\$1 client\$1 customer \$1 consumer\$1) same (data\$1 information\$1 record\$1) same (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:38
L27	2313	2 and (user\$1 client\$1 customer \$1 consumer\$1) same (data\$1 information\$1 record\$1) same (first\$1 primary \$1 initial\$1 earlier \$1) same (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:38
L28	1800	2 and (user\$1 client\$1 customer \$1 consumer\$1) with (data\$1 information\$1 record\$1) same (first\$1 primary \$1 initial\$1 earlier \$1) same (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:42
L29	1058	2 and (user\$1 client\$1 customer \$1 consumer\$1) with (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) same (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:42

L30	765	2 and (user\$1 client\$1 customer \$1 consumer\$1) with (data\$1 information\$1 record\$1) with (first\$1 primary \$1 initial\$1 earlier \$1) with (second \$1 secondar\$2 end\$1 next\$1 succeed\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:43
L31	187	707/706-709. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:45
L32	171	707/721-732. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:45
L33	1	16 and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:45
L34	0	16 and 32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:45
L35	1	27 and 32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:45
L36	1	27 and 31	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/03/29 15:45